

# CENTERLINE OF FIXTURE CENTERLINE OF WASTE FIN. WALL 1" I.P.S SUPPLY (DN 25mm) FIN. FLOOR

# Royal® Model Flushometer

115

# Description

Exposed Water Closet Flushometer, for floor mounted or wall hung top spud bowls.

### Flush Cycle

- ☐ Model 115-1.6 Low Consumption (1.6 gpf/6.0 Lpf)
- ☐ Model 115 Water Saver (3.5 gpf/13.2 Lpf)

### **Specifications**

Quiet, Exposed, Diaphragm Type, Chrome Plated Closet Flushometer with the following features:

- PERMEX® Synthetic Rubber Diaphragm with Dual Filtered Fixed Bypass
- ADA Compliant Metal Oscillating Non-Hold-Open Handle with Triple Seal Handle Packing
- 1" I.P.S. Screwdriver Bak-Chek® Angle Stop with Free Spinning Vandal Resistant Stop Cap
- · Adjustable Tailpiece
- High Back Pressure vacuum breaker flush connection w/ one-piece bottom hex coupling nut
- Spud Coupling and Flange for 1-1/2" Top Spud
- Sweat Solder Adapter w/Cover Tube & Cast Wall Flange w/Set Screw
- High Copper, Low Zinc Brass Castings for Dezincification Resistance
- Non-Hold-Open Handle, Fixed Metering Bypass and No External Volume Adjustment to Ensure Water Conservation
- · Flush Accuracy Controlled by CID Technology
- Diaphragm, Handle Packing, Stop Seat and Vacuum Breaker molded from PERMEX® Rubber Compound for Chloramine Resistance

Valve Body, Cover, Tailpiece and Control Stop shall be in conformance with ASTM Alloy Classification for Semi-Red Brass. Valve shall be in compliance to the applicable sections of ASSE 1037.

## **Variations**

$\sqcup$ 0	Offset Vacuum Breaker, <b>Specify</b> : 1" - 1½" - 2"
$\square$ $\overline{V}$	1" Flush Connection
□ TP	Trap Primer
$\Box$ $\overline{YI}$	Two Wall Bumpers (for open front seat without cover)
□ YJ	Split Ring Pipe Support
□ YK	Solid Ring Pipe Support
	Valve Less Vacuum Breaker
SG	SaniGuard® Antimicrobial Coating Protects Handle*

<sup>\*</sup> SaniGuard does not protect users or others against disease-causing bacteria.

### Accessories

See Accessories Section of the Sloan catalog for details on these and other Flushometer variations.









This space for Architect/Engineer approval		
Job Name	Date	
Model Specified	Quantity	
Variations Specified		
Customer/Wholesaler		
Contractor		
Architect		

The information contained in this document is subject to change without notice.

