

Royal 195-0.5 S.S. — Rev. 1c (04/12)  
Copyright © 2012 SLOAN VALVE COMPANY


# Royal® Model Flushometer

# 195-0.5

- ▶ **Description**  
Concealed Urinal Flushometer, for 3/4" back spud urinals.
- ▶ **Flush Cycle**  
 Model 195-0.5 (0.5 gpf/1.9 Lpf)
- ▶ **Specifications**  
Quiet, Concealed, Diaphragm Type, Rough Brass Urinal Flushometer for either left or right hand supply with the following features:
  - Dual Filtered Bypass Diaphragm
  - ADA Compliant Metal Oscillating Non-Hold-Open Handle with Triple Seal Handle Packing
  - 3/4" I.P.S. Wheel Handle Bak-Chek® Angle Stop
  - Adjustable Tailpiece
  - High Back Pressure Vacuum Breaker
  - Spud Coupling for 3/4" Concealed Back Spud Urinals
  - Sweat Solder Adapter
  - Elbow Flush Connection
  - Exposed parts Chrome Plated
  - High Copper, Low Zinc Brass Castings for Dezincification Resistance
  - Non-Hold-Open Handle, Fixed Metering Bypass and No External Volume Adjustment to Ensure Water Conservation
  - Flush Accuracy Controlled by CID Technology
  - Diaphragm, Handle Packing, Stop Seat and Vacuum Breaker to be molded from PERMEX® Rubber Compound for Chloramine Resistance

Valve Body, Cover, Tailpiece and Control Stop shall be in conformance with ASTM Alloy Classification for Semi-Red Brass. Valve shall be in compliance to the applicable sections of ASSE 1037, ANSI/ASME 112.19.2.

- ▶ **L Dimension**  
Specify the "L" Dimension for the proper length of the Handle Assembly and Flush Connection. The "L" Dimension is equal to the Wall Thickness (to the nearest whole inch) plus 2 3/4" (70 mm).
- ▶ **Variations**
  - L-3** 3" Metal Oscillating Push Button (does not meet ADA requirements)
  - WB** For installation with Sloan Easy Access® Wall Box
- ▶ **Accessories**  
See Accessories Section of the Sloan catalog for details on these and other Flushometer variations.
- ▶ **Fixtures**  
Consult Sloan for Sloan brand matching fixture options.



Sloan Valve Company is buying renewable energy certificates to meet 100% of the company's purchased electricity use at its Franklin Park, Illinois facility.

This space for Architect/Engineer approval

The information contained in this document is subject to change without notice.



SLOAN • 10500 SEYMOUR AVE. • FRANKLIN PARK, IL. 60131

Ph: 1-800-9-VALVE-9 or 1-847-671-4300 • Fax: 1-800-447-8329 or 1-847-671-4380

<http://www.sloanvalve.com>