mediflow®



- Minimum noise level (only 65 dB)
- High power, long-lasting units
- Sleek & modern design, ideal for quiet areas such as libraries, museums & office buildings
- Maximum airflow performance (315 CFM per hour)
- Heating element includes a safety thermal cut-off
- Automatic detection of the most adequate temperature



- Adjustable distance (6" 10") detection
- ADA recessed KIT available

To download technical data sheets, 3 CSI Specs, CADs, BIM and Green Info, please go to www.saniflowcorp.com or visit your preferred specification website:











































distributed by RESTROOM DIRECT 704.937.2673 www.RestroomDirect.com



HIGH TRAFFIC /



SMOOTH – SMART – SUPER QUIET – VERY MODERN DESIGN.

- MEDIFLOW® INTELLIGENT Series. With great success, Saniflow has successfully developed THE FIRST INTELLIGENT HAND DRYER based on our innovative "Logic Dry" hand drying system. It senses ambient conditions and automatically selects the optimal heating-level for each drying cycle. It represents a significant advance in the design and features of hand dryers for public washrooms. These models are equipped with new electronic and anti-vandalism protection systems, which make them the most secure dryers of their category.
- **MEDIFLOW® BASIC** Series comes without the thermostatic control system for those bathrooms where the ambient temperature does not change much during the year .

Both options are ideal for washrooms where the NOISE LEVEL is an issue, such as museums, libraries, office buildings or movie theaters. These offers the lowest level of noise in this kind of range, but but it is not ADA compliant. If you want to make it ADA, you will need to include a recessed Kit.

HAND DRYERS

mediflow[®]

Who is using MEDIFLOW M02A & M03A hand dryers:

- Brooklyn Children's Museum, Brooklyn, NY
- Cinemark Movie Theaters, nationwide
- Ann Arbor Library, Ann Arbor, MI
- Neshoba County Public Library, Philadelphia, MS
- Austin Hill Country Galleria, Bee Cave, TX
- Riverside Pediatric Hospital, Newbury Port, MA
- Century Movie Theaters, nationwide
- FCI Fort Worth, Fort Worth, TX
- World Finantial Center, office buildings, NYC, NY
- West Hawaii Civic Center, Hilo, HI
- Abercrombie & Fitch Stores, internationally
- GAP Stores, nationwide
- Denver Pavilions Mall, Denver, CO
- Round Rock Prem Outlet Mall, Round Rock, TX
- Novechento restaurants, Miami, FL
- Brazos Town Hall, Rosenberg, TX
- Queen Mary, University of London, London, UK





intelligent version

sensor operated

Legend for symbols shown on last page of catalog

M02A

material: Steel finish: white epoxy











M₀2AC

material: AISI 304 stainless steel finish: bright











M02ACS | | |

material: AISI 304 stainless steel finish: satin











M02A · M02AC · M02ACS | | | | | | | | COMPONENTS AND MATERIALS

- · Minimum noise levels
- Steel one piece cover, 5/64" thick (M02A) or stainless steel one-piece cover, 1/16" thick.(M02AC, M02ACS)
- The technology "LOGIC DRY" automatically regulates the temperature of the air output between four possible levels, depending on the ambient temperature, managing electricity consumption to offer significant energy savings.
- Selective detection of fixed targets and system of automatic disconnection after 120 seconds of continuous use.
- IR detection sensor adjustable by a potentiomater. (6 10").
- Cover fixed to the base by means of 2 vandal-proof lock screws and lock with special mediflow key wrench.

- Fire resistant plastic PPE + HIPS base and fan scroll, with Ø 4 5/6" (8 mm) holes for wall mounting.
- It includes silent-blocks to damper mechanical vibrations.
- · Aluminum asymmetrical double inlet fan wheel.
- Motor, universal with brushes, 4,500 rpm, A class, incorporating a self-resetting safety thermal cut-off.
- Available in stock at 110V 50/60 Hz.
- UL & CUL comply with UL499 norm and electrical safety for the EU.

M02A · M02AC · M02ACS | | | | | | TECHNICAL SPECIFICATIONS

Estimated drying time	20-29 seconds	Total Power	From 250 to 2.250 W
Voltage	100-120 V	Heating Element	From 0 to 2,000 W
Frequency	50/60 Hz	Protection level	IP23
Power Consumption	2.1 – 19 Amps (120 V)	Nominal airflow	318 CFM
Electrical insulation	Class I (ground required)	Effective airflow	265 CFM
Motor Power	250 W	Air temp (at 4" distance/70°F)	120 °F (49°C)
rpm	4.500 rpm	Dimensions	10 3/4" x 12-7/8" x 6-1/2"
Air speed	5.195 LFM	Weight	11 Lbs. (5 Kg.)
		Noise level	65 dB

10 3/4"		12 5/8"	_
	12.7/8"		6 1/2"

sensor operated

M03A



material: steel finish: white epoxy Legend for symbols shown on last page of catalog











M03AC



material: AISI 304 stainless steel finish: bright











M03ACS | | |

material: AISI 304 stainless steel finish: satin














M03A · M03AC · M03ACS | | | | | | | COMPONENTS AND MATERIALS

- · Minimum noise levels
- Steel one piece cover, 5/64" thick (M03A) or stainless steel one-piece cover, 1/16" thick.(M03AC, M03ACS)
- Standard heating element that incorporates a self-resetting safety thermal cut-off.
- IR detection sensor adjustable by a potentiomater. (6 10").
- Cover fixed to the base by means of 2 vandal-proof lock screws and lock with special mediflow key wrench.
- Fire resistant plastic PPE + HIPS base and fan scroll, with 4 5/6"ø (8 mm) holes for wall mounting.

- It includes silent-blocks to damper mechanical vibrations.
- · Aluminum asymmetrical double inlet fan wheel.
- Motor, universal with brushes, 4,500 rpm, A class, incorporating a self-resetting thermal cut-off.
- · Available in stock at 110V 50/60 Hz.
- UL & CUL comply with UL499 norm and electrical safety for the EU.

M03A · M03AC · M03ACS | | | | | | TECHNICAL SPECIFICATIONS

Estimated drying time	20-29 seconds	Total Power	From 250 to 2.250 W
Voltage	100-120 V	Heating Element	2.000 W
Frequency	50/60 Hz	Protection level	IP23
Power Consumption	19 Amps (120 V)	Nominal airflow	318 CFM
Electrical insulation	Class I (ground required)	Effective airflow	265 CFM
Motor Power	250 W	Air temp (at 4" distance/70°F)	120 °F (49°C)
rpm	4.500 rpm	Dimensions	10 3/4" x 12 7/8" x 6 1/2"
Air speed	5.195 LFM	Weight	11 Lbs. (5 Kg.)
		Noise level	65 dB






ADA recessed kit

The American with Disabilities Act (ADA) defines the accessible requirements for the design and construction of washroom spaces in the USA.

The mediflow has been designed to comply with these recommendations. As you can see on this example of installation:



KT0010B | |

material: steel finish: white epoxy







dryer not included

KT0010C

material: AISI 304 stainless steel finish: bright









dryer not included

KT0010CS | | |

material: AISI 304 stainless steel finish: satin









dryer not included

KT0010B · KT0010C · KT0010CS | | | | | | | | COMPONENTS AND MATERIALS

KT0010B · KT0010C · KT0010CS | | : | TECHNICAL SPECIFICATIONS

With 4 screw holes of 23/64 (9 mm) for mounting on the wall.

Weight: 8.82 lbs. (4 Kg.)

13 3/8"" wide x 18 7/8" high x 3" deep **Overall Dimensions:** (340 mm wide x 481 mm high x 75.5 mm deep)

Rough Wall Opening: 11 5/8" wide x 16 3/4" high x 3" deep

(296 mm wide x 425 mm high x 75.5 mm deep)

Wall box is fabricated of 15 GA electronic zinced, 1/16" in steel. Frame is fabricated of 15 GA 18-8 type 304 stainless steel.


When installed bottom of hand dryer will be

Consult local ADA codes

Construction:

Installation Guide:

4 37/64" (116.2 mm) above bottom of rough wall opening.



saniflow corp.





The company behind the technology

A Track Record of Excellence

Saniflow Hand Dryer Corp. has established itself as one of North America's leading brands of eco-friendly hand-drying solutions. We offer **the largest selection of fast, stylish, and energy-efficient products**, designed to fit every type of washroom facility.

Our company works with design professionals, contractors, owners, and facility managers to ensure that every project gets the right dryers for its needs. Our products are in use in highly recognizable office buildings, entertainment centers, shopping facilities, schools and universities throughout North America.

Saniflow hand dryers benefit from 40 years of manufacturing experience and expertise by our parent company, Mediclinics S.A., the largest exporter of hand dryers in the world and a leader in the European and global markets. Dryers produced in our manufacturing facility in Barcelona, Spain, are used in over 120 countries worldwide. Quality is assured through every step of the manufacturing process, and each dryer is tested and approved before shipping.

Commitment to Our Customers

We stand behind our products, and consider every sale as the beginning of a customer service relationship. Under our **Quick Ship Program**, applicable to all distribution channels, all products listed in our catalog ship within 36 hours (under normal circumstances) on purchase orders from distributors that have established credit terms with Saniflow. Our team of customer satisfaction professionals is available to answer any product questions and **offer full technical support.**

Responsible **Manufacturing**

We are equally committed to sustainability in operations. We use a **combination of new and recycled materials**, many of them also recyclable, and have instituted advanced waste stream separation in manufacturing.

distributed by RESTROOM DIRECT 704.937.2673 www.RestroomDirect.com

NORTH AMERICAN REFERENCES

U.S.A. & CANADA

UNIVERSITIES:

- Rutgers University, Piscataway, NJ
- University of Rochester, Rochester, NY
- · Northwestern Kellogs University, Chicago, IL
- State University College, NY
- · Pacific University, OR
- Savannah State University, Savannah, GA
- Texas Tech University, TX
- · Pennsylvania State University Residential Housing, PA
- San Diego State University, San Diego, CA
- Flagstaff Union University, Flagstaff, AZ
- Central Michigan University, Mount Pleasant, MI
- · University of Notre Dame, IN
- Berkley College, Woodland Park, NJ
- University of California Berkeley, Vance Brown Bldg., CA
- State University College, NYC, NY
- Texas Tech University, Lubbock, TX
- University of Notre Dame, Notre Dame, IN
- · Madison College, Madison, WI

SCHOOLS:

- Dallas-Ft. Worth school district, TX
- · Chula Vista school district, CA
- San Jose City College, San Jose, CA
- Dan D. Rogers elementary school, Dallas, TX
- Duluth High School, Wood Land Hills Academy, Duluth, MN
- Rivers Middle School, Charleston, S.C.
- Justin Siena High School, Napa, CA
- York College of Pennsylvania, PA
- Troy Shorewood Elementary School, Shorewood, IL
- Appleton city school district, Appleton City, MO
- · Magnolia school district, Jefferson, LA
- · Aquinas Montessori school, VA
- Moorpark Unified school district, Moorpark, CA
- Tumwater High school, Tumwater, WA
- The Town School, NYC, NY
- Valley Christian Child Care Center, Saint Clairville, OH
- Ecole Polymechanique, Laval, Quebec, Canada
- Academie Ste. Therese, Rosemere, Quebec, Canada
- Aguinas Montessori School, Alexandria, VA

SHOPPING CENTERS:

- Round Rock Prem Outlet Mall, Round Rock, TX
- Denver Pavilions Moll, Denver, CO
- West Hawaii civic center, Hilo, HI
- · Chinook shopping Center, Calgary, Alberta, Canada
- Fairview park Mall, Kitchener, Ontario, Canada
- Polo Park shopping Center, Winnepeg, Manitoba, Canada

HOSPITALS:

- Mendota Mental Health Institution, Madison, WI
- IHC Hospital, Sant Lake City, UT
- Fresenius medical Center, Pharr, TX
- Bingham memorial hospital, Blackfoot, ID
- Cano Medical Center, Pembroke Pines, FL
- Conyers Medical Clinic, Conyers, GA
- Curious Mind Child Development Center, Washington D.C.
- Riverside Pediatric Hospital, Newbury Port, MA
- South Lake Hospital, Clermont, FL

STADIUMS & MOVIE THEATERS:

- Dodger Stadium, Los Angeles, CA
- Delaware State Fairgrounds, Harrington, DE
- Brewer H.S. Stadium, Fort Worth, TX
- Cinemark movie theaters, nationwide
- Century movie theaters, nationwide

LIBRARIES & MUSEUMS:

- Brooklyn Children 's Museum, Brooklyn, NY
- Neshoba County public library, Philadelphia, MS
- Ann Arbor Library, Ann Arbor, MI
- Austin Hill Country Galleria, Bee Cave, TX
- Jefferson Davis Home & President Library, Biloxi, MS

More than a decade drying your hands

AIRPORTS:

- United Airlines VIP red carpet Clubs, nationwide
- JFK International Airport New York, NY
- U.S. El Segundo air force airport, El Segundo, CA
- U.S. Army Norfolk air force airport, Norfolk, VA
- Schole international airport, Galvenston, TX
- San Juan International airport, San Juan, PR

STORES:

- Wal Mart Stores & Superstores, nationwide
- Abercrombie & Fitch (Hollister Stores), national & international
- GAP Store, Denver Pavilions Mall, Denver, CO
- CVS Stores, nationwide
- · Weir's furniture Village, nationwide

HOTELS:

- Gran Hyatt Hotel Chicago, Chicago, IL
- · Gran Hyatt Hotel San Francisco, CA
- The Standard Hotel, New York, NY
- Mayfair Hotel, Miami, FL
- Loews Philadelphia Hotel, Philadelphia, PA

LEISURE AREAS & YMCA:

- Indianapolis Zoo, Indianapolis, IN
- Lion County Safari, Loxahatchee, FL
- Arbolarium of Dallas, TX
- Watermania Aqua Park, Richmond, BC, Canada
- · Bowl O Drome Bowling Center, Ithaca, NY
- YMCA of New York City, NY
- YMCA of Greater Miami, FL
- YMCA of Austin, MN
- Arbolarium of Dallas, Dallas, TX
- Bayside YMCA of Barrington, RI

RECREATIONAL PARKS & VISITOR CENTERS:

- White House Visitors Center, Washington D.C.
- Rocky Mountain National Park, Estes Park, CO
- South Florida parks & recreation Department, FL
- St. Laundry visitor center, Opelousas, LA
- Lake Norman State Park Visitor Center, NC

RESTAURANTS:

- IHOP restaurants in Broward & Miami-Dade county, FL
- Dunking Donuts, Chicago, IL
- Arby's restaurant, New Albany, IN
- Subways franchise restaurants, FL
- P.F. Chang's Restaurants, Quebec, Canada
- Dominos Pizza, New York, NY
- Havana Spice, Miami, FL
- Kokoriko restaurants, FL
- Pollo Tropical restaurants, San Juan, PR
- · Havana Spice, Miami, FL
- IVAR'S restaurant, Seattle, WA
- Novechento Downtown restaurant, Miami, FL
- Vittoria Coffe, Boston, MA

CHURCHES:

- Philadelphia Baptist church, FL
- Union Gospel Mission, Seattle, WA
- Catholic Charities, Chicago, IL
- Church of the Holy Spirit, Lake Forest, IL
- First United Methodist Church, Miami, FL

OTHERS:

- Ohio State Penitentiary, Youngstown, OH
- Texas Department of Transportation, TX
- New York Stock Exchange Building, New York, NY
- Brazos Town Hall, Rosenberg, TX
- Nassau Tennis Club, Skillman, NY
- Glendale Heights Police Station, Glendale Heights, IL



LOW TRAFFIC

This model is suitable for installation in areas with low traffic.



MEDIUM TRAFFIC

This model is suitable for installation in areas with medium traffic.



HIGH TRAFFIC

This model is suitable for installation in areas with high traffic.



ELECTRICAL PROTECTION

This model incorporates elements that ensure electrical insulation.



LOW ELECTRICITY CONSUMPTION

Eco-efficient hand dryer with low electricity consumption/high energy savings.



VALUE FOR MONEY

This model offers excellent value for money.



VANDAL-PROOF

This model incorporates elements of features that make it difficult or impossible to damage or remove.



NUTS AND BOLTS INCLUDED

This model includes the nuts and bolts necessary for it to be installed on masonry walls.



LOCKED WITH KEY



BIOCOTE

Anti-microbe treatment for DUALFLOW PLUS hand dryers.



ADA STANDARDS

Model which, when installed correctly, complies with the Accessibility Guidelines for Buildings and Facilities ADAAG.



5 YEARS LIMITED WARRANTY



10 YEARS LIMITED WARRANTY



UNITS PER PALLET

Unit quantities per pallet. The type of pallet is in between brackets, and dimensions of the pallets are as follows:

- (A) 120 x 80 x 110 cm
- (B) 120 x 80 x 120 cm
- (C) 120 x 80 x 130 cm















Distributed by









3325 NW 70th Avenue, Miami, FL 33122

USA

Toll-free: +1 (877) 222 91 25 Tel: (305) 424 2433 Fax: (305) 424 2435

sales@saniflowcorp.com www.saniflowcorp.com